PRODUCT TECHNICAL SHEET



Date 18/05/2024

SK-GEMMA

Norm UNI EN ISO 20344:2012, UNI EN ISO 20345:2012

Security category S3

Additional requirements A, E, SKS









PRODUCT DESCRIPTION:

Sabot shoes, with upper in full grain leather. Composit® toe cap, Kevlar anti-perforation insole. Slip resistant polyurethane outsole. "Ago" working.

Lining 3D Fabric: AIRNET® - Highly breathable and absorbent three-dimensional mesh

fabric

Size Unisex 36-47

Model Sabot

Protection Toe cap and anti-perforation insole

Toe cap Composite: resistant up to 2001. Protective strip for fingers' comfort

Sector Alimentary, Indoor environments, Pharmaceutical Industries, Hospital

Insole Anti-perforation: Protect the foot against possible shoe perforations caused by

the presence of perforating material on the floor

Footwear type A (low)

Upper Microfiber: traspirante e comfortevole, Calf leather: Pelle bovina pieno fiore -

idrorepellente (WRU)

Outsole Danilo: Soft cushioning and antistatic polyurethane midsole. Heat resistant

rubber tread with high slip resistance even on inclined surfaces.

Processing AGO: The Ago processing is the most common because it makes the shoe

flexible and light. The processing consists of joining the upper to the sole

through glues, avoiding the use of other joints that stiffen the structure and lead

to a loss of comfort in the foot

