

## MC10

Norm UNI EN ISO 20344:2022/A1:2024, UNI EN ISO 20345:2022

Security category S3

Additional requirements A, E, PL, SR, WPA



### PRODUCT DESCRIPTION:

Ankle boots type "B" with black leather upper. Airnet® highly breathable and absorbent 3D fabric lining. Padded foam to protect the ankle, Composit® toe cap, Kevlar anti-perforation insole. Closing by laces passing through eyelets or holes, quick release device. Antistatic PU outsole, oil and slip resistant. "Ago" working.

|               |   |
|---------------|---|
| Lining        | 3D Fabric: <i>AIRNET® - Highly breathable and absorbent three-dimensional mesh fabric</i>   |
| Outsole       | Marcello: <i>Polyurethane outsole, antistatic and anti-slip. Ideal for those who need to walk a lot and spend a lot of time standing</i>  |
| Size          | Unisex 36-49  |
| Processing    | <i>AGO: The Ago processing is the most common because it makes the shoe flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead to a loss of comfort in the foot</i> |
| Protection    | Toe cap and anti-perforation insole   |
| Sector        | Steelwork, Outdoor environments, Indoor environments, Electricians, Manufacturing Industries, Mechanical industries   |
| Footwear type | B (over the ankle)  |
| Upper         | Genuine Leather: <i>Water repellent full-grain leather</i>  |
| Insole        | Anti-perforation: <i>Protects the foot against possible injury caused by the presence of perforating material on the floor.</i>   |
| Toe cap       | Composite: <i>resistant up to 200J. Protective strip for toe comfort.</i>   |



