PRODUCT TECHNICAL SHEET



Date 14/12/2025

CN001S/PA/SK

Norm UNI EN ISO 20344:2022, UNI EN ISO 20345:2022

Security category S3

Additional requirements A, E, HRO, PL, SR, WR















PRODUCT DESCRIPTION:

Ankle shoe type "B". Water repellent full-grain leather upper. Leather lining. Protective malleolus padding, steel toe cap, Kevlar textile anti-perforation insole and quick-release fastening system with rods. Single-layer rubber outsole with slip resistant pads. "Ideal" working.

Lining Leather: Soft leather

Outsole ROCCIA: Energy absorbing, antistatic, contact heat, fuel, oil and slip resistant

rubber outsole.

Size Unisex 36-49

Processing IDEAL: The leather upper is prepared by glueing and pressing the outer edges

onto a midsole and is then stitched using a machine called "rapid". The thread is passed through a boiler with molten pitch to totally waterproof the thread and

holes.

Protection Quick-release device with rods, Toe cap and anti-perforation insole

Sector Building, Foundry, Manufacturing Industries, Mechanical industries, Textile

industries

Footwear type B (over the ankle)

Upper Leather: Water repellent full-grain leather 1.8-2.0 mm

Insole Anti-perforation: Protects the foot against possible injury caused by the

presence of perforating material on the floor.

Toe cap Steel: *up to 200J*

PRODUCT TECHNICAL SHEET



Date 14/12/2025



PRODUCT TECHNICAL SHEET



Date 14/12/2025







