

MCK2

Norm UNI EN ISO 20344:2022, UNI EN ISO 20345:2022
Security category S1P
Additional requirements A, E, PL, SR



PRODUCT DESCRIPTION:

Low top shoe type "A", suede leather upper with Cordura inserts. Highly breathable and absorbent Airnet® three-dimensional mesh fabric lining. Composit® toecap, Kevlar textile anti-perforation insole. Fastening through laces passing through eyelets. Ultralight, antistatic, oil and slip resistant polyurethane outsole. "Ago" processing.

Lining	3D Fabric: <i>AIRNET® - Highly breathable and absorbent three-dimensional mesh fabric</i>
Outsole	Marcello: <i>Polyurethane outsole, antistatic and anti-slip. Ideal for those who need to walk a lot and spend a lot of time standing</i>
Size	Unisex 36-49
Processing	AGO: <i>The Ago processing is the most common because it makes the shoe flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead to a loss of comfort in the foot</i>
Protection	Toe cap and anti-perforation insole
Sector	Indoor environments, Manufacturing Industries, Textile industries
Footwear type	A (low)
Upper	Suede: <i>Soft calfskin leather</i> , Cordura fabric: <i>3D woven fabric that ensures high breathability</i>
Insole	Anti-perforation: <i>Protects the foot against possible injury caused by the presence of perforating material on the floor.</i>
Toe cap	Composite: <i>resistant up to 200J. Protective strip for toe comfort.</i>

PRODUCT TECHNICAL SHEET



Date 11/09/2025



PRODUCT TECHNICAL SHEET



Date 11/09/2025



The data shown on this sheet are subject to change without notice due to the evolution of materials and products.
All rights reserved. All other product and company names are trademarks of their respective owners.
No part of this sheet may be reproduced in any form or means, for any use.