

Date 14/12/2025

GEMMA - DWFSABOT-C/PP

Norm UNI EN ISO 20344:2022, UNI EN ISO 20345:2022

Security category

Additional requirements A, E, SR, WPA









PRODUCT DESCRIPTION:

Sabot shoes type "A", with washable microfiber upper. Airnet® highly breathable and absorbent three-dimensional fabric lining. Fastening by folding back strap. Composit® toe cap. Diamond® ousole in polyurethane with high level of slip resistance. Ago processing.

Lining 3D Fabric: AIRNET® - Highly breathable and absorbent three-dimensional mesh

fabric

Outsole DIAMOND: WIDEFIT - Outsole with a special tread designed to ensure maximum

slip resistance. The wide fit allows maximum relaxation of the foot during use.

Size unisex 35-47

Processing AGO: The Ago processing is the most common because it makes the shoe

> flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead

to a loss of comfort in the foot

Model Footwear

Sector Food, Indoor environments, Igienico, Hospital

Footwear type A (low)

Composite: resistant up to 200J. Protective strip for toe comfort. Toe cap

Washable microfiber: breathable and comfortable Upper

Protection Composit toecap



Date 14/12/2025





Date 14/12/2025





Date 14/12/2025



