

MM2035

Norm UNI EN ISO 20344:2022, UNI EN ISO 20345:2022
Security category S3
Additional requirements A, E, HI, HRO, PL, SR, WPA, WR



PRODUCT DESCRIPTION:

Mid-boots type "B". Water-repellent calfskin black leather upper + 100% polyamide fabric coupled with 100% perforated polyester fabric insert for transpirability. Highly breathable and transpirable 100% polyester fabric lining. Gusseted tongue to protect the foot from dirt and debris. Very soft, water-repellent and breathable cowhide collar for enhanced ankle protection. Steel toe cap anti-perforation Kevlar insole. Energy-absorbing, antistatic, anti-slip, heat, oil and fuel resistant rubber outsole. Fastening: laces passing through metal eyelets and side zipper. Ago processing.

Lining	3D Fabric: <i>AIRNET®</i> - <i>Highly breathable and absorbent three-dimensional mesh fabric</i>
Insole	Anti-perforation: <i>Protects the foot against possible injury caused by the presence of perforating material on the floor.</i>
Size	Unisex 36-49
Processing	AGO: <i>The Ago processing is the most common because it makes the shoe flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead to a loss of comfort in the foot</i>
Sector	Navy
Protection	Toe cap and anti-perforation insole
Toe cap	Steel: <i>up to 200J</i>
Footwear type	B (over the ankle)
Upper	Chrome calfskin leather: <i>Water-repellent</i> , Cordura fabric: <i>3D woven fabric that ensures high breathability</i>
Outsole	HR: <i>Molded rubber outsole, slip resistant, fireproof and anti-perforation</i>

PRODUCT TECHNICAL SHEET



Date 07/06/2025



PRODUCT TECHNICAL SHEET



Date 07/06/2025

