

ISHTAR

Norm UNI EN ISO 20344:2022, UNI EN ISO 20347:2022
Security category SB
Additional requirements A, E, FO, SR, WPA



PRODUCT DESCRIPTION: Sabot in white waterproof leather or washable microfiber with lateral elastics, sole with air changing system and textile midsole. The variant, with toecap in composit or steel and perforation-resistant midsole, is also available. These shoes are particularly suitable for those who works in inner-environments and spends much time standing.	
Lining	3D Fabric: <i>AIRNET® - Highly breathable and absorbent three-dimensional mesh fabric</i>
Outsole	AIR CHANGING SYSTEM: <i>Certified system for air circulation in the shoe during usage., T.N.T.</i>
Size	Unisex 36-49
Processing	AGO: <i>The Ago processing is the most common because it makes the shoe flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead to a loss of comfort in the foot</i>
Model	Sabot
Sector	Food, Indoor environments, Hospital
Footwear type	A (low)
Upper	Leather: <i>Water repellent full-grain leather 1.8-2.0 mm</i>
Protection	Composit toecap
Insole	Texon: <i>Cellulose material</i>

PRODUCT TECHNICAL SHEET



Date 25/07/2025



PRODUCT TECHNICAL SHEET



Date 25/07/2025

