

HIGH UNIFORM

Norm UNI EN ISO 20344:2022, UNI EN ISO 20347:2022
Security category O2
Additional requirements A, CI, E, FO, HI, HRO, SR, WPA, WR



PRODUCT DESCRIPTION:
Knee high boot type “D” for motorcycle operators. Water repellent full-grain leather upper. Zipper closure protected by Velcro flap. Laces for boot width adjustment. Reinforcement insert for protection from contact with the gearshift. Reflective stripes on the side of the boot and above the heel. T.N.T. toe cap, waterproof and breathable membrane lining. Antistatic, oil, slip and heat resitant nitrile rubber compound outsole “Ago” working.

Lining	HYDROPHILIC Membrane: <i>Waterproof and breathable polyester membrane with thermal insulation</i>
Outsole	BIKER: <i>Slip resistant rubber outsole (SRC requirement)</i>
Size	Unisex 36-49
Processing	AGO: <i>The Ago processing is the most common because it makes the shoe flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead to a loss of comfort in the foot</i>
Sector	Outdoor environments, Police and Law Enforcement
Footwear type	D (knee boots)
Upper	Leather: <i>Water repellent full-grain leather 1.8-2.0 mm</i>
Insole	Leather: <i>Split croup</i>
Toe cap	T.N.T.: <i>Non-woven fabric</i>
Model	Motorcycle boots

PRODUCT TECHNICAL SHEET



Date 12/08/2025



The data shown on this sheet are subject to change without notice due to the evolution of materials and products.
All rights reserved. All other product and company names are trademarks of their respective owners.
No part of this sheet may be reproduced in any form or means, for any use.

PRODUCT TECHNICAL SHEET



Date 12/08/2025



MONTEBOVE dal 1953

sistema di chiusura

lacci in acciaio

guide

WLS
wheeling facing system

Precisione, adattabilità e controllo
potenziano la tua sicurezza

SICURO
VELOCE
RESISTENTE
REGOLABILE
FUNZIONALE

incluso accessorio
per riparazione