


HG25C

Norm UNI EN ISO 20344:2022, UNI EN ISO 20345:2022

Security category O2

Additional requirements A, E, PL, SRA



PRODUCT DESCRIPTION:

Waterproof full-grain leather white footwear type "A" with cordura inserts. Textile 3D "Ainet®" highly breathable lining. Steel toe cap and Kevlar textile anti-perforation insole. Antistatic, oil-resistant polyurethane sole with slip-resistant relieves. Fastening through eyelets passing through metal or holes. "Ago" processing.

Lining	3D Fabric: <i>AIRNET®</i> - <i>Highly breathable and absorbent three-dimensional mesh fabric</i>
Outsole	HG
Size	Unisex 36-49
Processing	<i>AGO: The Ago processing is the most common because it makes the shoe flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead to a loss of comfort in the foot</i>
Model	low shoe.
Sector	Alimentary, Indoor environments, Hospital
Footwear type	A (low)
Upper	Leather: <i>Water repellent full-grain leather 1.8-2.0 mm</i> , Fabric: <i>3D mesh fabric</i>
Insole	Anti-perforation: <i>Protects the foot against possible injury caused by the presence of perforating material on the floor.</i>
Toe cap	Steel: <i>up to 200J</i>

PRODUCT TECHNICAL SHEET



Date 24/04/2025



The data shown on this sheet are subject to change without notice due to the evolution of materials and products.
All rights reserved. All other product and company names are trademarks of their respective owners.
No part of this sheet may be reproduced in any form or means, for any use.

PRODUCT TECHNICAL SHEET



Date 24/04/2025

