

DIADEMA

Norm UNI EN ISO 20344:2022, UNI EN ISO 20345:2022  
Security category S1, S2  
Additional requirements A, E, SR, WPA



PRODUCT DESCRIPTION:

Low shoes type "A", with washable microfibre upper. Airnet® highly breathable and absorbent 3D mesh lining. Composit® toe cap. Polyurethane outsole, oil and slip resistant. Elastic closure. "Ago" processing.

Lining	3D Fabric: <i>AIRNET® - Highly breathable and absorbent three-dimensional mesh fabric</i>
Outsole	DIAMOND: <i>WIDEFIT - Outsole with a special tread designed to ensure maximum slip resistance. The wide fit allows maximum relaxation of the foot during use.</i>
Size	Unisex 36-49
Processing	AGO: <i>The Ago processing is the most common because it makes the shoe flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead to a loss of comfort in the foot</i>
Model	Footwear
Sector	Food, Indoor environments, Hospital
Footwear type	A (low)
Insole	Fabric
Protection	Composit toecap
Upper	Washable microfiber: <i>breathable and comfortable</i>
Toe cap	Composite: <i>resistant up to 200J. Protective strip for toe comfort.</i>

# PRODUCT TECHNICAL SHEET



Date 07/06/2025



The data shown on this sheet are subject to change without notice due to the evolution of materials and products.  
All rights reserved. All other product and company names are trademarks of their respective owners.  
No part of this sheet may be reproduced in any form or means, for any use.

# PRODUCT TECHNICAL SHEET



Date 07/06/2025

