

E2020

Norm UNI EN ISO 20344:2022, UNI EN ISO 20347:2022

Security category O3L

Additional requirements A, AN, E, FO, HI, HRO, PL, SR, WPA, WR



PRODUCT DESCRIPTION:

Calf boots type "C" with full grain leather upper + rubber protective band on toe. Breathable and waterproof PTFE membrane lining with thermal insulation, malleolus protection (AN). Rubber and PU outsole with Nylon stabilizer, energy-absorbing, antistatic, heat, fuel, oil and slip resistant. "Ago" processing.

Lining	PTFE membrane lining: <i>WINDTEX - Bi-component microporous PTFE membrane that provides high waterproofness, breathability and resistance</i>
Outsole	Military: <i>PU outsole+ Rubber tread+ Phylon stabilizer</i>
Size	Unisex 36-49
Processing	<i>AGO: The Ago processing is the most common because it makes the shoe flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead to a loss of comfort in the foot</i>
Sector	Outdoor environments, Army, Police and Law Enforcement
Footwear type	C (calf boot)
Upper	Rubber: <i>anti-abrasion insert</i> , Leather: <i>Water repellent full-grain leather 1.8-2.0 mm</i>
Protection	Anti-perforation insole: <i>Kevlar textile material</i>
Insole	Anti-perforation: <i>Protects the foot against possible injury caused by the presence of perforating material on the floor.</i>

PRODUCT TECHNICAL SHEET



Date 12/08/2025



The data shown on this sheet are subject to change without notice due to the evolution of materials and products.
All rights reserved. All other product and company names are trademarks of their respective owners.
No part of this sheet may be reproduced in any form or means, for any use.

PRODUCT TECHNICAL SHEET



Date 12/08/2025

