

RUN (vicenza)

Norm UNI EN ISO 20344:2022/A1:2024, UNI EN ISO 20347:2022

Security category O2

Additional requirements A, E, FO, HRO, SR, WPA



PRODUCT DESCRIPTION:

Tomaia in pelle pieno fiore con inserti in tessuto e fodera in tessuto 3D Airnet® altamente traspirante. Suola ENERGY SHIELD, ultralight in phylon e PU + battistrada in gomma antiscivolo; stabilizzatore anti-torsione e cuscini d'aria. Lavorazione Ago.

| | |
|------------|--|
| Upper | Leather and fabric inserts: <i>Water repellent full-grain leather and highly breathable cordura fabric</i> |
| Lining | 3D Fabric: <i>AIRNET® - Highly breathable and absorbent three-dimensional mesh fabric</i> |
| Toe cap | Textile |
| Insole | Texon: <i>Cellulose material</i> |
| Processing | <i>AGO: The Ago processing is the most common because it makes the shoe flexible and light. The processing consists of joining the upper to the sole through glues, avoiding the use of other joints that stiffen the structure and lead to a loss of comfort in the foot</i> |
| Outsole | <i>ENERGY SHIELD: is a new type of outsole specifically designed for maximum support and comfort. The double action of ultra-light Phylon and soft PU, allows maximum damping. The plastic stabilizing insert protects the foot thanks to a maximum support of the arch. Rubber tread ensures maximum slip resistance and anti-abrasion.</i> |



PRODUCT TECHNICAL SHEET



Date 27/05/2026

